

**Test Report**

**No.:** CANEC24007499101

**Date:** Apr 29, 2024

Page 1 of 26

Signed for and on behalf of  
SGS

# Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 2 of 26

## Test Result(s):

### Test Part Description

| SN ID | Sample No. | SGS Sample ID           | Description              |
|-------|------------|-------------------------|--------------------------|
| SN1   | A1         | CAN24-0074991-0001.C001 | "QFN(0505*0.75-0.40)040" |

### Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

## Halogen

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

| Test Item(s) | Unit(s) | MDL | A1 |
|--------------|---------|-----|----|
| Fluorine(F)  | mg/kg   | 20  | ND |
| Chlorine(Cl) | mg/kg   | 50  | ND |
| Bromine(Br)  | mg/kg   | 50  | ND |
| Iodine(I)    | mg/kg   | 50  | ND |

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ( $w=0$ ) stated in ILAC-G8:09/2019.







# Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 5 of 26

|                               |                                 |                               |
|-------------------------------|---------------------------------|-------------------------------|
| DFN(0202*0.55-0.50)008(K)     | DFN(1.61.0*0.55-1.10)002        | QFN(0303*0.90-0.40)020        |
| DFN(0202*0.55-0.65)006(B)-SS2 | DFN(1.61.0*0.55-1.10)002(B)     | QFN(0303*0.90-0.40)020(C)-SD3 |
| DFN(0202*0.55-0.65)006(C)     | DFN(1.61.2*0.40-0.40)008(A)     | QFN(0303*0.90-0.40)024(A)-SD3 |
| DFN(0202*0.55-0.65)006(D)     | DFN(1.61.6*0.37-0.40)008(B)     | QFN(0303*0.90-0.50)016        |
| DFN(0202*0.55-0.65)006(D)-SS2 | DFN(1.61.6*0.40-0.40)008(B)     | QFN(0303*0.90-0.50)016(E)     |
| DFN(0202*0.55-0.65)006(E)     | DFN(1.61.6*0.50-0.50)006(E)     | QFN(0303*0.90-0.50)016(E)-SS2 |
| DFN(0202*0.55-1.20)002        | DFN(1.61.6*0.55-0.40)006(A)     | QFN(0303*0.90-0.50)016(E)-SS3 |
| DFN(0202*0.55-1.30)003(A)     | DFN(1.61.6*0.55-0.40)008(A)     | QFN(0303*0.90-0.50)016(H)-SS2 |
| DFN(0202*0.55-1.30)003(A)-SD2 | DFN(1.61.6*0.55-0.50)006(E)     | QFN(0304*0.55-0.40)026(A)-SS2 |
| DFN(0202*0.55-1.30)003(A)-SS2 | DFN(1.61.6*0.55-0.50)006(E)-SS2 | QFN(0304*0.85-0.40)024        |
| DFN(0202*0.55-1.30)003(B)     | DFN(1.61.6*0.55-0.90)002(A)     | QFN(0304*0.85-0.40)024(A)     |
| DFN(0202*0.55-1.35)002(A)     | DFN(1.61.6*0.75-0.50)006        | QFN(0305*0.75-0.50)024(A)     |
| DFN(0202*0.75-0.40)010(A)     | DFN(1.61.6*0.75-0.50)006(B)-SS2 | QFN(0305*0.75-0.50)024(A)-SS3 |
| DFN(0202*0.75-0.40)010(A)-SD2 | DFN(1.61.6*0.75-0.50)006(C)     | QFN(0305*0.75-0.50)024(B)-SS3 |
| DFN(0202*0.75-0.40)010(B)     | DFN(1.61.6*0.75-0.50)006(D)     | QFN(0305*0.75-0.50)024(B)-SS4 |
| DFN(0202*0.75-0.40)010(B)-HBP | DFN(1.61.6*0.75-0.50)006(F)     | QFN(0305*0.85-0.50)024(A)     |
| DFN(0202*0.75-0.40)010(B)-WET | DFN(1.61.6*0.75-0.50)006-SS2    | QFN(0305*0.85-0.50)024(A)-SS3 |
| DFN(0202*0.75-0.50)006(A)     | DFN(1.61.6*0.75-                |                               |

## Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 6 of 26

|                                |                                 |                               |
|--------------------------------|---------------------------------|-------------------------------|
| DFN(0202*0.75-0.65)006-SS2     | DFN(2.01.5*0.90-0.90)003(A)     | QFN(0404*0.55-0.50)028(A)     |
| DFN(0202*0.75-0.675)005(A)-SD2 | DFN(2.02.5*0.55-0.50)008(A)     | QFN(0404*0.75-0.40)028        |
| DFN(0202*0.85-0.40)010(A)      | DFN(2.11.8*0.55-0.40)010(A)     | QFN(0404*0.75-0.40)028(B)     |
| DFN(0202*0.85-0.40)010(B)      | DFN(2.41.5*0.45-0.40)012        | QFN(0404*0.75-0.40)028(B)-SD2 |
| DFN(0202*0.85-0.50)008(B)      | DFN(2.41.5*0.50-0.40)012        | QFN(0404*0.75-0.40)028(B)-SIP |
| DFN(0202*0.85-0.50)008(D)      | DFN(2.41.5*0.85-0.40)012        | QFN(0404*0.75-0.40)028(B)-SS2 |
| DFN(0202*0.85-0.50)008(G)      | DFN(2.51.0*0.50-0.50)010        | QFN(0404*0.75-0.40)028(C)     |
| DFN(0202*0.85-0.50)008(H)      | DFN(2.51.0*0.50-0.50)010(B)     | QFN(0404*0.75-0.40)028(D)     |
| DFN(0202*0.85-0.50)008(H)-SS2  | DFN(2.51.0*0.50-0.50)010(B)-SS2 | QFN(0404*0.75-0.40)028(E)-SS7 |
| DFN(0202*0.85-0.50)008(H)-SS3  | DFN(2.51.0*0.50-0.50)010(B)-SS4 | QFN(0404*0.75-0.40)028-SD2    |
| DFN(0202*0.85-0.50)008(K)      | DFN(2.51.0*0.50-0.50)010(B)-SS6 |                               |

# Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 7 of 26

|                               |                                   |                               |
|-------------------------------|-----------------------------------|-------------------------------|
| DFN(0203*0.75-0.50)008(D)-SS2 | DFN(3.22.5*0.85-2.05)004(A)       | QFN(0404*0.75-0.50)020(E)-SS2 |
| DFN(0203*0.75-0.50)008(E)-SS3 | DFN(3.31.0*0.50-0.40)010          | QFN(0404*0.75-0.50)020(F)-SS2 |
| DFN(0203*0.75-0.50)008(I)     | DFN(3.31.0*0.50-0.40)010-SS2      | QFN(0404*0.75-0.50)020(G)     |
| DFN(0203*0.75-0.50)008(K)     | DFN(3.31.0*0.50-0.40)010-SS3      | QFN(0404*0.75-0.50)020(H)-SS2 |
| DFN(0203*0.75-0.50)008(L)     | DFN(3.31.2*0.75-0.50)004(A)-SS3   | QFN(0404*0.75-0.50)020-SD2    |
| DFN(0203*0.75-0.50)008(M)     | DFN(3.501.35*0.50-0.40)016(A)-SS7 | QFN(0404*0.75-0.50)020-SS2    |
| DFN(0203*0.75-0.50)008-SD2    | DFN(3.501.35*0.55-0.40)016(A)-SS7 | QFN(0404*0.75-0.50)020-SS3    |
| DFN(0203*0.75-0.50)008-SS2    | DFN(3.501.35*0.55-0.40)016(A)-SS9 | QFN(0404*0.75-0.50)020-SS4    |
| DFN(0203*0.75-0.50)008-SS3    | DFN(3.81.0*0.50-0.80)009          | QFN(0404*0.75-0.50)022(A)-SS3 |
| DFN(0203*0.75-0.65)006        | DFN(3.81.0*0.50-0.80)009(B)       | QFN(0404*0.75-0.50)023(A)-SS3 |
| DFN(0203*0.75-0.65)006-SD2    | DFN(3.81.0*0.50-0.80)009-SS2      | QFN(0404*0.75-0.50)024        |
| DFN(0203*0.75-0.65)006-SS2    | DFN(3.81.0*0.50-0.80)009-SS3      | QFN(0404*0.75-0.50)024(B)     |
| DFN(0203*0.75-0.65)006-SS3    | DFN(3.81.0*0.50-0.80)009-SS4      | QFN(0404*0.75-0.50)024(C)     |
| DFN(0203*0.85-0.50)008(F)     | DFN(3.81.0*0.55-0.80)009-SS2      | QFN(0404*0.75-0.50)024(C)-SS2 |
| DFN(0203*0.85-0.50)008(H)     | DFN(4.04.5*0.85-1.30)006(A)       | QFN(0404*0.75-0.50)024(C)-SS4 |
| DFN(0204*0.75-0.50)006(A)-SS2 | DFN(4.04.5*0.85-1.30)006(B)       | QFN(0404*0.75-0.50)024(C)-SS5 |
| DFN(0204*0.75-0.50)006(A)-SS3 | DFN(4.04.5*0.85-1.30)006(B)-SS2   | QFN(0404*0.75-0.50)024(C)-WET |
| DFN(0204*0.75-0.50)006(A)-SS4 | DFN(4.04.5*1.0-1.30)006(A)        | QFN(0404*0.75-0.50)024(D)     |
| DFN(0302*0.50-0.95)006-SS5    | DFN(4.12.0*0.50-0.80)010          | QFN(0404*0.75-0.50)024(D)-SD2 |
| DFN(0302*0.50-0.95)006-SS7    | DFN(4.12.0*0.50-0.80)010-SS2      | QFN(0404*0.75-0.50)024(D)-SS2 |
| DFN(0302*0.55-0.60)010(A)     | DFN(4.12.0*0.50-0.80)010-SS3      |                               |

# Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 8 of 26

|                               |                                  |                               |
|-------------------------------|----------------------------------|-------------------------------|
| DFN(0303*0.50-0.50)010(C)     | DFN(5.51.5*0.50-0.50)018(C)-SS8  | QFN(0404*0.75-0.50)027(A)-SS5 |
| DFN(0303*0.50-0.50)010(E)     | DFN(5.51.5*0.50-0.50)018-SS2     | QFN(0404*0.75-0.65)016        |
| DFN(0303*0.55-0.50)010(E)     | DFN(5.51.5*0.50-0.50)018-SS3     | QFN(0404*0.75-0.65)016(B)     |
| DFN(0303*0.75-0.45)012        | DFN(5.51.5*0.50-0.50)018-SS4     | QFN(0404*0.75-0.65)016(B)-SD2 |
| DFN(0303*0.75-0.45)012(C)-SIP | DFN(5.51.5*0.50-0.50)018-SS8     | QFN(0404*0.75-0.65)016(B)-SS2 |
| DFN(0303*0.75-0.45)012(C)-SS2 | DFN(5.55.5*1.358-1.00)008(A)-SIP | QFN(0404*0.75-0.65)016(B)-SS3 |
| DFN(0303*0.75-0.45)012(C)-SS3 | DFN(6.54.0*0.90-2.025)003(A)-SS3 | QFN(0404*0.75-0.65)016(C)     |
| DFN(0303*0.75-0.45)012(C)-SS4 | DFN(6.57.0*0.75-1.60)006(A)-SS4  | QFN(0404*0.75-0.65)016(D)     |
| DFN(0303*0.75-0.45)012-SD2    | DFN(6.57.0*0.85-1.60)006(A)-SS2  | QFN(0404*0.75-0.65)016(E)     |
| DFN(0303*0.75-0.45)012-SIP    | DFN(6.57.0*0.85-1.60)006(A)-SS4  | QFN(0404*0.75-0.65)016(F)     |
| DFN(0303*0.75-0.45)012-SS2    | DFN(6.57.0*0.85-1.60)006(A)-SS5  | QFN(0404*0.75-0.65)016-SS2    |
| DFN(0303*0.75-0.45)012-SS3    | DFN(6.57.0*0.85-1.60)006(A)-SS6  | QFN(0404*0.75-0.65)016-SS3    |
| DFN(0303*0.75-0.50)008(A)     | DFN(6.57.0*0.85-1.60)006(A)-SS7  | QFN(0404*0.75-0000)024        |
| DFN(0303*0.75-0.50)008(B)     | DFN(6.57.0*1.15-1.60)006(A)-SS5  | QFN(0404*0.85-0.35)036(A)     |
| DFN(0303*0.75-0.50)010        | DFN(6.57.0*1.15-1.60)006(A)-SS6  | QFN(0404*0.85-0.35)036(A)-SD2 |
| DFN(0303*0.75-0.50)010(A)     | DFN(6.57.0*1.358-1.60)006(B)-SS2 | QFN(0404*0.85-0.35)036(A)-SD3 |
| DFN(0303*0.75-0.50)010(A)-SS2 | DFN(6.57.0*1.358-1.60)006(B)-SS4 | QFN(0404*0.85-0.35)036(C)     |
| DFN(0303*0.75-0.50)010(B)     | DFN(6.57.0*1.358-1.60)006(B)-SS6 | QFN(0404*0.85-0.35)036(C)-SD2 |
| DFN(0303*0.75-0.50)010(D)     | DFN(6.57.0*1.358-1.60)006(B)-SS7 | QFN(0404*0.85-0.35)036(C)-SIP |
| DFN(0303*0.75-0.50)010(F)-SS3 |                                  |                               |



## Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 9 of 26

DFN(0303\*0.75-0.65)008-SS2

FCDFN(1.00.6\*0.40T/F2 9.96 Tf1 25.77 ;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf  
available as request or accessible at [\[link\]](#)



**Test Report**

**No.:** CANEC24007499101

**Date:** Apr 29, 2024

Page 10 of 26



**Test Report**

**No.:** CANEC24007499101

**Date:** Apr 29, 2024

Page 11 of 26

# Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 12 of 26

|                               |                               |                                        |
|-------------------------------|-------------------------------|----------------------------------------|
| DFN(0506*0.85-1.27)008(G)     | FCQFN(2.02.5*0.55-0.50)016(A) | QFN(0505*0.75-0.40)040-SS2             |
| DFN(0506*0.85-1.27)008(G)-SS2 | FCQFN(2.02.5*0.85-0.45)012(A) | QFN(0505*0.75-0.40)040-SS3             |
| DFN(0506*0.85-1.27)008(I)     | FCQFN(2.02.5*0.85-0.65)010(A) | QFN(0505*0.75-0.40)040-WET             |
| DFN(0506*0.85-1.27)008(J)     | FCQFN(2.52.5*0.55-0.45)016(A) | QFN(0505*0.75-0.40)042                 |
| DFN(0506*0.90-1.27)008-SIP    | FCQFN(2.52.5*0.55-0.45)016(D) | QFN(0505*0.75-0.40)044(A)              |
| DFN(0506*1.10-1.27)008(G)-SIP | FCQFN(2.52.5*0.55-0.45)016(E) | QFN(0505*0.75-0.40)044(B)-SS3          |
| DFN(0506*1.15-1.27)007(C)-SIP | FCQFN(2.53.0*0.85-0.50)012(A) | QFN(0505*0.75-0.40)044(B)-SS5          |
| DFN(0506*1.15-1.27)008(B)-SIP | FCQFN(2.53.0*0.85-0.50)014(A) | QFN(0505*0.75-0.40)-3D040              |
| DFN(0506*1.15-1.27)008(I)-SIP | FCQFN(2.53.0*0.85-0.50)015(A) | QFN(0505*0.75-0.45)036 Tf1 0 0 1 466.3 |









|                               |                               |
|-------------------------------|-------------------------------|
| QFN(0505*0.85-0.50)032(N)-SS3 | QFN(0808*0.85-0.40)068-SD2    |
| QFN(0505*0.85-0.50)032(O)-SS3 | QFN(0808*0.85-0.40)068-SD3    |
| QFN(0505*0.85-0.50)032-SD2    | QFN(0808*0.85-0.40)068-SIP    |
| QFN(0505*0.85-0.50)032-SD3    | QFN(0808*0.85-0.40)072(A)-SIP |
| QFN(0505*0.85-0.50)032-SIP    | QFN(0808*0.85-0.50)051(A)-SIP |
| QFN(0505*0.85-0.50)032-SS2    | QFN(0808*0.85-0.50)051(A)-WET |
| QFN(0505*0.85-0.50)032-WET    | QFN(0808*0.85-0.50)056        |
| QFN(0505*0.85-0.65)020        | QFN(0808*0.85-0.50)056(C)-WET |
| QFN(0505*0.85-0.65)024(B)     | QFN(0808*0.85-0.50)056(D)     |
| QFN(0505*0.85-0.65)024(C)-SS5 | QFN(0808*0.85-0.50)056(E)     |

**Test Report**

**No.:** CANEC24007499101

**Date:** Apr 29, 2024



**Test Report**

**No.:** CANEC24007499101

**Date:**

## Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 18 of 26

QFN(0606\*0.75-0.40)052

QFN(0909\*0.85-0.50)064(G)

QFN(0606\*0.75-0.40)052(B)-SS3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf available on request or accessible at [http://www.sgs.com](#)



# Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 20 of 26

|                               |                               |
|-------------------------------|-------------------------------|
| QFN(0606*0.85-0.50)036-SS2    | QFN(1010*0.85-0.40)088(D)-SD2 |
| QFN(0606*0.85-0.50)040        | QFN(1010*0.85-0.40)088(D)-SIP |
| QFN(0606*0.85-0.50)040(D)     | QFN(1010*0.85-0.40)088(E)     |
| QFN(0606*0.85-0.50)040(E)     | QFN(1010*0.85-0.40)088(E)-SD2 |
| QFN(0606*0.85-0.50)040(E)-SD2 | QFN(1010*0.85-0.40)088(E)-SD3 |
| QFN(0606*0.85-0.50)040(F)     | QFN(1010*0.85-0.40)088(E)-SS2 |
| QFN(0606*0.85-0.50)040-SS2    | QFN(1010*0.85-0.40)088-SD2    |
| QFN(0606*0.85-0.50)040-SS4    | QFN(1010*0.85-0.40)088-SIP    |
| QFN(0606*0.85-0.65)028(A)     | QFN(1010*0.85-0.40)088-SS2    |
| QFN(0606*0.90-0.35)056        | QFN(1010*0.85-0.40)088-SS3    |



# Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 21 of 26

|                               |                                   |
|-------------------------------|-----------------------------------|
| QFN(0707*0.75-0.35)064(A)-SIP | QFN(1111*0.65-0.40)072            |
| QFN(0707*0.75-0.35)064(A)-SS2 | QFN(12.312.3*0.85-0.35)128(A)     |
| QFN(0707*0.75-0.35)068        | QFN(12.312.3*0.85-0.35)128(A)-SD2 |
| QFN(0707*0.75-0.35)068-SD2    | QFN(12.312.3*0.85-0.35)128(A)-SIP |
| QFN(0707*0.75-0.35)068-SIP    | QFN(12.312.3*0.85-0.35)128(A)-SS2 |
| QFN(0707*0.75-0.35)068-SS2    | QFN(12.312.3*0.85-0.35)128(B)     |
| QFN(0707*0.75-0.40)056        | QFN(12.312.3*0.85-0.35)128(B)-SD2 |
| QFN(0707*0.75-0.40)056(B)     | QFN(12.312.3*0.85-0.35)128(B)-SIP |
| QFN(0707*0.75-0.40)056(B)-SS2 | QFN(12.312.3*0.85-0.35)128(C)-SD2 |
| QFN(0707*0.75-0.40)056(C)     | QFN(12.312.3*0.85-0.35)128(D)-SS2 |
| QFN(0707*0.75-0.40)056(C)-SS2 | QFN(12.510.0*0.85-0.50)144(A)     |
| QFN(0707*0.75-0.40)056(D)     | QFN(12.510.0*0.85-0.50)144(A)-SD2 |
| QFN(0707*0.75-0.40)056-SD2    | QFN(1208*0.75-0.40)088(A)-SS2     |
| QFN(0707*0.75-0.40)056-SIP    | QFN(1208*0.85-0.40)088(A)-SD2     |
| QFN(0707*0.75-0.40)056-SS2    | QFN(1212*0.60-0.50)064(A)         |
| QFN(0707*0.75-0.40)056-SS3    | QFN(1212*0.65-0.60)019(A)         |
| QFN(0707*0.75-0.40)056-SS4    | QFN(1212*0.65-0.60)021(A)         |
| QFN(0707*0.75-0.40)060        | QFN(1212*0.75-0.35)112(A)         |
| QFN(0707*0.75-0.40)060(B)     | QFN(1212*0.75-0.40)100            |
| QFN(0707*0.75-0.40)060(D)-SD2 | QFN(1212*0.75-0.40)100(A)         |
| QFN(0707*0.75-0.40)060-SD2    | QFN(1212*0.75-0.40)100(B)         |
| QFN(0707*0.75-0.40)060-SS2    | QFN(1212*0.75-0.50)020            |
| QFN(0707*0.75-0.40)060-SS3    | QFN(1212*0.75-0.50)088(A)         |
| QFN(0707*0.75-0.50)040(A)     | QFN(1212*0.85-0.35)124(A)         |
| QFN(0707*0.75-0.50)044(B)-WET | QFN(1212*0.85-0.35)124(A)-SD2     |
| QFN(0707*0.75-0.50)048        | QFN(1212*0.85-0.35)124(A)-SS3     |
| QFN(0707*0.75-0.50)048(D)-SIP | QFN(1212*0.85-0.40)100(B)         |
| QFN(0707*0.75-0.50)048(E)-SS5 | QFN(1212*0.85-0.40)100(B)-SD2     |
| QFN(0707*0.75-0.50)048(F)     | QFN(1212*0.85-0.40)100(B)-SIP     |
| QFN(0707*0.75-0.50)048(G)-SD2 | QFN(1212*0.85-0.40)100(B)-SS2     |
| QFN(0707*0.75-0.50)048(H)-SS5 | QFN(1212*0.85-0.40)100(B)-SS3     |
| QFN(0707*0.75-0.50)048(I)     | QFN(1212*0.85-0.50)088(A)         |
| QFN(0707*0.75-0.50)048(I)-SS2 | QFN(1212*0.85-0.50)148(A)         |
| QFN(0707*0.75-0.50)048(J)     | QFN(1212*0.85-0.50)148(A)-SD2     |
| QFN(0707*0.75-0.50)048(K)     | QFN(1212*0.85-0.50)148(A)-SD3     |
| QFN(0707*0.75-0.50)048(K)-SS2 | QFN(1212*0.85-0.50)148(A)-SIP     |
| QFN(0707*0.75-0.50)048(L)     | QFN(1212*0.85-0.50)148(A)-SS2     |
| QFN(0707*0.75-0.50)048(L)-SD2 | QFN(1212*0.85-0.50)156(A)         |
| QFN(0707*0.75-0.50)048(M)     | QFN(1212*0.85-0.54)080(A)         |
| QFN(0707*0.75-0.50)048(O)     | QFN(1212*0.85-0.65)054(A)-SS2     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf.

## Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 22 of 26

QFN(0707\*0.75-0.50)048-SD2

QFN(1212\*0.90-0.35)112(A)-SD2

QFN(0707\*0.75-0.50)048-SIP

QFN(1212\*0.90-0.40)100(B)-SD2

QFN(0707\*0.75-0.50)048-SS2

QFN(1212\*0.90-0.50)053(A)-SS8

QFN(0707\*0.75-0.50)048-SS3



## Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 23 of 26

|                               |                                 |
|-------------------------------|---------------------------------|
| QFN(0707*0.85-0.50)048-SD2    | QFN(2.53.5*0.75-0.50)016(A)-WET |
| QFN(0707*0.85-0.50)048-SD3    | QFN(3.02.5*0.75-0.35)026(A)-SD2 |
| QFN(0707*0.85-0.50)048-SIP    | QFN(3.02.5*0.75-0.40)022(A)-SD2 |
| QFN(0707*0.85-0.50)048-SS2    | QFN(3.02.5*0.75-0.40)022(A)-SD3 |
| QFN(0707*0.85-0.50)084(A)     | QFN(3.02.5*0.75-0.40)022(A)-SS2 |
| QFN(0707*0.85-0.50)084(A)-SD2 | QFN(3.04.5*0.75-0.40)028(A)     |
| QFN(0707*0.85-0.50)084(A)-SD3 | QFN(3.04.5*0.75-0.40)028(A)-SD2 |
| QFN(0707*0.85-0.50)084(A)-SIP | QFN(3.3.3.3*0.90                |



# Test Report

No.: CANEC24007499101

Date: Apr 29, 2024

Page 24 of 26

|                               |                                 |
|-------------------------------|---------------------------------|
| QFN(0808*0.75-0.35)080(A)     | QFN(5.507*0.75-0.40)050(C)      |
| QFN(0808*0.75-0.35)080(A)-SD2 | QFN(5.507*0.85-0.40)050(C)      |
| QFN(0808*0.75-0.35)080(C)     | QFN(5.54.5*0.75-0.40)038        |
| QFN(0808*0.75-0.35)080(D)     | QFN(5.54.5*0.75-0.40)040(A)     |
| QFN(0808*0.75-0.40)057(A)     | QFN(5.54.5*0.85-0.40)038        |
| QFN(0808*0.75-0.40)057(A)-SS7 | QFN(5.54.5*0.85-0.40)040 (A)    |
| QFN(0808*0.75-0.40)064        | QFN(5.54.5*0.90-0.40)038-SD2    |
| QFN(0808*0.75-0.40)064(B)     | QFN(5.55.5*0.75-0.40)037(A)-SS3 |
| QFN(0808*0.75-0.40)064(B)-SD2 | QFN(5.55.5*0.75-0.40)040-SD2    |
| QFN(0808*0.75-0.40)064(B)-SIP | QFN(5.55.5*0.75-0.40)040-SS2    |
| QFN(0808*0.75-0.40)064(C)     | QFN(5.57.0*0.75-0.35)060(A)-SIP |
| QFN(0808*0.75-0.40)064-SD2    | QFN(5.58.0*0.85-0.40)058(A)     |
| QFN(0808*0.75-0.40)064-SIP    | QFN(5.64.6*0.90-0.35)048(A)-SD3 |
| QFN(0808*0.75-0.40)064-SS2    | QFN(5.85.0*0.75-0.35)048(A)     |
| QFN(0808*0.75-0.40)064-SS3    | QFN(5.85.0*0.75-0.35)048(A)-SIP |
| QFN(0808*0.75-0.40)068        | QFN(5.85.0*0.75-0.35)048(A)-SS5 |
| QFN(0808*0.75-0.40)068(D)     | QFN(5.85.0*0.75-0.35)048(A)-SS6 |
| QFN(0808*0.75-0.40)068(D)-SD2 | QFN(6.44.0*0.85-0.35)050(A)-SIP |
| QFN(0808*0.75-0.40)068(E)     | QFN(6.44.0*0.90-0.35)050(A)-SD2 |
| QFN(0808*0.75-0.40)068(E)-SD2 | QFN(6.44.0*0.90-0.35)050(A)-SIP |
| QFN(0808*0.75-0.40)068(E)-SS2 | QFN(6.54.5*0.75-0.40)046        |
| QFN(0808*0.75-0.40)068-SD2    | QFN(6.54.5*0.75-0.40)046-SD2    |
| QFN(0808*0.75-0.40)068-SIP    | QFN(6.54.5*0.75-0.40)046-SIP    |
| QFN(0808*0.75-0.40)068-SS2    | QFN(6.54.5*0.75-0.40)046-SS2    |
| QFN(0808*0.75-0.40)072(A)     | QFN(6.54.5*0.85-0.40)046        |
| QFN(0808*0.75-0.40)072(A)-SS2 | QFN(6.54.5*0.85-0.40)046-SS5    |
| QFN(0808*0.75-0.40)072(A)-SS3 | QFN(6.56.5*0.85-0.50)072        |
| QFN(0808*0.75-0.40)072(B)     | QFN(7.35.8*0.85-0.40)056(A)-SD2 |
| QFN(0808*0.75-0.40)-3D068     | QFN(7.35.8*0.85-0.40)056(A)-SIP |
| QFN(0808*0.75-0.50)038(A)-SS2 | QFN(7.57.5*0.75-0.40)064        |
| QFN(0808*0.75-0.50)056        | QFN28L(0505*0.75-0.50)-SS3      |
| QFN(0808*0.75-0.50)056(B)-SD2 | VQFN(1111*0.50-0.40)256         |
| QFN(0808*0.75-0.50)056(C)     | VQFN(1212*0.85-0.50)148         |
| QFN(0808*0.75-0.50)056(C)-SS2 | XWFN(0.40.8*0.30-0.45)004(A)    |
| QFN(0808*0.75-0.50)056(E)     | XWFN(0404*0.75-0.50)028(A)      |
| QFN(0808*0.75-0.50)056-SD2    | XWFN(0808*0.90-0.40)042(A)-SS7  |
| QFN(0808*0.75-0.50)056-SS2    | XWFN(10.510.5*0.40-0.40)084(A)  |
| QFN(0808*0.75-0.50)056-SS3    | XWFN(1010*0.90-0.40)077(A)-SS7  |
| QFN(0808*0.75-0.65)040(A)     | XWFN(11.211.2*0.80-0.45)084(A)  |
| QFN(0808*0.85-0.35)080(A)     | XWFN(1313*0.90-0.80)048(A)-SS11 |





**Test Report**

No.: CANEC24007499101

Date: Apr 29, 2024

Page 26 of 26

Sample Photo:



SGS authenticate the photo on original report only  
 \*\*\* End of Report \*\*\*